

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1802	((711/170,104,105).CCLS.) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 13:21
S1	2242	(711/170,104,105).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/19 13:21
S3	4	((memory near3 controller) with (programmable near2 pin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 13:30
S4	1262	((memory) with ((program\$5 select\$4 configur\$5 change\$4)near2 pin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 13:48
S6	1	((memory with controller) with (((dual multi) near4 (mode functgion)) with pin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:00
S7	81	((memory with buffered) with ((program\$5 select\$4 configur\$5 change\$4)near2 (pin output control)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:03
S10	642	((memory near controller) with ((program\$5 select\$4 configur\$5 change\$4)near2 (pin output line)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:04
S9	1417	((memory near4 controller) with ((program\$5 select\$4 configur\$5 change\$4)near2 (pin output line)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:04
S8	3539	((memory near4 controller) with ((program\$5 select\$4 configur\$5 change\$4)near2 (pin output control)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:04

S11	607	((memory near controller) with ((program\$5 select\$4 configur\$5)near2 (pin output line)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:05
S12	249	((memory near controller) with ((program\$5 select\$4 configur\$5)near2 (pin line)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:07
S13	34	((memory near controller) with ((program\$5 select\$4 configur\$5)near2 (pin)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:08
S14	46	((memory near controller) with ((program\$5 select\$4 configur\$5)near2 (pin (control adj line))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:38
S17	6	((memory near controller) with ((program\$5 select\$4 configur\$5)near2 (mode pin (control adj line)))) and buffered and unbuffered	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:39
S16	0	((memory near controller) with ((program\$5 select\$4 configur\$5)near2 (mode pin (control adj line)))) and bufferd and unbuffered	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:39
S15	266	((memory near controller) with ((program\$5 select\$4 configur\$5)near2 (mode pin (control adj line))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:42
S19	814	(memory with controller) same ((program\$5 select\$4 configur\$5) with pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:49
S20	142	(memory adj controller) same ((program\$5 select\$4 configur\$5) near4 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:52
S21	108	((memory adj controller) same ((program\$5 select\$4 configur\$5) near4 pin)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 15:06

S22	1792	((memory near3 controller) with ((program\$5 select\$4 configur\$5)near2 signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 16:12
S23	977	((memory adj controller) with ((program\$5 select\$4 configur\$5)near2 signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 16:13
S24	809	((memory adj controller) with ((program\$5 select\$4 configur\$5)near2 signal))) and @ad < "20019828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 16:14
S26	1	((memory adj controller) with ((program\$5 select\$4 configur\$5)near2 signal))) and @ad < "20019828" and (buffered with memory) and (unbuffered with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 16:15
S25	1	((memory adj controller) with ((program\$5 select\$4 configur\$5)near2 signal))) and @ad < "20019828" and (buffered near4 memory) and (unbuffered near4 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 16:15
S28	340	((memory adj controller) with ((program\$5 select\$4 configur\$5)near2 signal))) and @ad < "20019828" and (memory near5 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 16:18
S27	31	((memory adj controller) with ((program\$5 select\$4 configur\$5)near2 signal))) and @ad < "20019828" and (buffered with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 16:18

S50	30	(US-5968192-\$ or US-6298426-\$ or US-5860080-\$ or US-5375084-\$ or US-5826093-\$ or US-6681301-\$ or US-6530007-\$ or US-6035370-\$ or US-5884067-\$ or US-6684314-\$ or US-6229727-\$ or US-5893136-\$ or US-5694585-\$ or US-5005157-\$ or US-6625685-\$ or US-6499093-\$ or US-6473831-\$ or US-5860134-\$ or US-5768560-\$ or US-5740382-\$ or US-5721860-\$ or US-5652912-\$ or US-5621678-\$ or US-5522064-\$ or US-5418924-\$ or US-5301278-\$).did. or (US-5175836-\$).did. or (US-20010000822-\$ or US-20020147898-\$ or US-20010054135-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/05/19 17:39
S29	3	((US-5968192-\$ or US-6298426-\$ or US-5860080-\$ or US-5375084-\$ or US-5826093-\$ or US-6681301-\$ or US-6530007-\$ or US-6035370-\$ or US-5884067-\$ or US-6684314-\$ or US-6229727-\$ or US-5893136-\$ or US-5694585-\$ or US-5005157-\$ or US-6625685-\$ or US-6499093-\$ or US-6473831-\$ or US-5860134-\$ or US-5768560-\$ or US-5740382-\$ or US-5721860-\$ or US-5652912-\$ or US-5621678-\$ or US-5522064-\$ or US-5418924-\$ or US-5301278-\$).did. or (US-5175836-\$).did. or (US-20010000822-\$ or US-20020147898-\$ or US-20010054135-\$).did.) and (((chip adj select) cs) with ((multiplex\$2) mux))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 17:45
S30	4	((US-5968192-\$ or US-6298426-\$ or US-5860080-\$ or US-5375084-\$ or US-5826093-\$ or US-6681301-\$ or US-6530007-\$ or US-6035370-\$ or US-5884067-\$ or US-6684314-\$ or US-6229727-\$ or US-5893136-\$ or US-5694585-\$ or US-5005157-\$ or US-6625685-\$ or US-6499093-\$ or US-6473831-\$ or US-5860134-\$ or US-5768560-\$ or US-5740382-\$ or US-5721860-\$ or US-5652912-\$ or US-5621678-\$ or US-5522064-\$ or US-5418924-\$ or US-5301278-\$).did. or (US-5175836-\$).did. or (US-20010000822-\$ or US-20020147898-\$ or US-20010054135-\$).did.) and ((clock) with ((multiplex\$2) mux))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 17:56

S31	5139	((clock with (cs (chip select)))) with ((multiplex\$2) mux))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 17:57
S32	483	(memory adj controll\$3) and ((clock with (cs (chip select)))) with ((multiplex\$2) mux)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 17:58
S33	67	(memory adj control\$4) same ((clock with (cs (chip select)))) with ((multiplex\$2) mux)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 17:59
S34	27	(memory adj control\$4) same ((clock with (cs (chip adj select)))) with ((multiplex\$2) mux)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 18:00
S36	2	((US-5968192-\$ or US-6298426-\$ or US-5860080-\$ or US-5375084-\$ or US-5826093-\$ or US-6681301-\$ or US-6530007-\$ or US-6035370-\$ or US-5884067-\$ or US-6684314-\$ or US-6229727-\$ or US-5893136-\$ or US-5694585-\$ or US-5005157-\$ or US-6625685-\$ or US-6499093-\$ or US-6473831-\$ or US-5860134-\$ or US-5768560-\$ or US-5740382-\$ or US-5721860-\$ or US-5652912-\$ or US-5621678-\$ or US-5522064-\$ or US-5418924-\$ or US-5301278-\$).did. or (US-5175836-\$).did. or (US-20010000822-\$ or US-20020147898-\$ or US-20010054135-\$).did.) and (unbuffered)	US-PGPUB; USPAT	OR	OFF	2004/05/20 14:48

S35	30	(US-5968192-\$ or US-6298426-\$ or US-5860080-\$ or US-5375084-\$ or US-5826093-\$ or US-6681301-\$ or US-6530007-\$ or US-6035370-\$ or US-5884067-\$ or US-6684314-\$ or US-6229727-\$ or US-5893136-\$ or US-5694585-\$ or US-5005157-\$ or US-6625685-\$ or US-6499093-\$ or US-6473831-\$ or US-5860134-\$ or US-5768560-\$ or US-5740382-\$ or US-5721860-\$ or US-5652912-\$ or US-5621678-\$ or US-5522064-\$ or US-5418924-\$ or US-5301278-\$).did. or (US-5175836-\$).did. or (US-20010000822-\$ or US-20020147898-\$ or US-20010054135-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/05/20 16:03
S39	3	(((((711/170,104,105).CCLS.) and @ad < "20010828") and (buffered and unbuffered)) and differential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 16:04
S38	7	(((((711/170,104,105).CCLS.) and @ad < "20010828") and (buffered and unbuffered)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 16:04
S40	1	((US-5968192-\$ or US-6298426-\$ or US-5860080-\$ or US-5375084-\$ or US-5826093-\$ or US-6681301-\$ or US-6530007-\$ or US-6035370-\$ or US-5884067-\$ or US-6684314-\$ or US-6229727-\$ or US-5893136-\$ or US-5694585-\$ or US-5005157-\$ or US-6625685-\$ or US-6499093-\$ or US-6473831-\$ or US-5860134-\$ or US-5768560-\$ or US-5740382-\$ or US-5721860-\$ or US-5652912-\$ or US-5621678-\$ or US-5522064-\$ or US-5418924-\$ or US-5301278-\$).did. or (US-5175836-\$).did. or (US-20010000822-\$ or US-20020147898-\$ or US-20010054135-\$).did.) and (differential)	US-PGPUB; USPAT	OR	OFF	2004/05/20 16:21

S37	0	((US-5968192-\$ or US-6298426-\$ or US-5860080-\$ or US-5375084-\$ or US-5826093-\$ or US-6681301-\$ or US-6530007-\$ or US-6035370-\$ or US-5884067-\$ or US-6684314-\$ or US-6229727-\$ or US-5893136-\$ or US-5694585-\$ or US-5005157-\$ or US-6625685-\$ or US-6499093-\$ or US-6473831-\$ or US-5860134-\$ or US-5768560-\$ or US-5740382-\$ or US-5721860-\$ or US-5652912-\$ or US-5621678-\$ or US-5522064-\$ or US-5418924-\$ or US-5301278-\$).did. or (US-5175836-\$).did. or (US-20010000822-\$ or US-20020147898-\$ or US-20010054135-\$).did.) and (differential near clock)	US-PGPUB; USPAT	OR	OFF	2004/05/20 16:21
S41	49	((memory near3 controller) with ((program\$5 select\$4 configur\$5)near2 pin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 18:57
S43	5	((memory with controller) with (((dual multi) near4 (mode function)) with pin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 18:59
S45	67	((memory adj controller) same ((program\$5 select\$4 configur\$5) near4 pin)) and @ad < "20010828") and (memory with type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:02
S44	27	(memory adj control\$4) same ((clock with ("cs" (chip adj select)))) with ((multiplex\$2) mux)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:03
S46	146	(memory adj control\$4) same ((clock with ("cs" (chip adj select) control)) with ((multiplex\$2) mux)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:04
S47	91	((memory near3 controller) with ((program\$5 select\$4 configur\$5 change\$4)near4 pin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:15
S42	49	((memory near3 controller) with ((program\$5 select\$4 configur\$5 change\$4)near2 pin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 19:15

S49	22	"5375084".URPN.	USPAT	OR	ON	2004/11/10 19:32
S48	5	("4797850" "5157384" "5212666" "5270964" "5272664").PN.	USPAT	OR	ON	2004/11/10 19:32
S18	12	((memory near controller) with ((program\$5 select\$4 configur\$5)near2 (control adj (line lead))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 14:52
S52	30	((memory near controller) same ((program\$5 select\$4 configur\$5)near2 (control adj (line lead pin))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 14:53
S51	28	((memory near controller) same ((program\$5 select\$4 configur\$5)near2 (control adj (line lead))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 14:53
S53	23	S52 and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 14:54
S54	6	((memory with buffered) with ((program\$5 select\$4 configur\$5 change\$4)near4 pin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 14:58
S5	6	((memory with buffered) with ((program\$5 select\$4 configur\$5 change\$4)near2 pin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 14:58
S55	1880	((711/170,104,105).CCLS.) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:15
S56	7	("6023175" "6060916" "6094375" "6151271" "6279073" "6335901" "6337832").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/17 17:43
S57	0	("6782451").URPN.	USPAT	OR	ON	2004/11/17 17:48
S58	8	("6092146" "6097883" "6173382" "6209074" "6226729" "6253278" "6330637" "6446158").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/17 17:49